Message Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP From: (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02] Sent: 8/26/2020 1:32:33 PM re based on revised scope Nonresponsive Based on Revised Scope To: Subject: FW: Shiloh Collector Attachments: Shiloh Church Road Collector Screenshot.pdf Here is the COLLECTOR info for Property #3. I know how to collect the info, not sure how to retrieve it in a usable format Thank you Chris ----Original Message---From: Nonresponsive based on revised scope Nonresponsive Based on Revised Scope Sent: Wednesday, June 10, 2020 5:12 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: RE: Shiloh Collector Hi Chris, Attached is an updated Collector screenshot. The red icon XRF results are now described as "above industrial lead. This is the viewer friendly and presentable version of collector: Ex. 6 Personal Privacy (PP) Thank you, Nonresponsive based on revised scope Region III START Response Manager Nonresponsive Based on Revised Scope ----Original Message----From: Wagner, Christine [mailto:Wagner.Christine@epa.gov] Sent: Wednesday, June 10, 2020 16:21

To: Nonresponsive based on revised scope Nonresponsive Based on Revised Scope Subject: Re: Shiloh Collector ** External Email ** Can you please call me when you have this file open on your computer? It doesn't need to be today Thank you Chris

> On Jun 4, 2020, at 12:02 PM Nonresponsive based on revised scope awestonsolutions.com wrote: > <Collector screenshot.pdf> WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email. CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.